

CEN System - Delegated Decisions Dispatch 3:2017

1	CEN/TC 54	1
2	CEN/TC 58	3
3	CEN/TC 72	4
4	CEN/TC 88	7
5	CEN/TC 153	11
6	CEN/TC 165	17
7	CEN/TC 197	26
8	CEN/TC 230	27
9	CEN/TC 237	30
10	CEN/TC 247	31
11	CEN/TC 250	32
12	CEN/TC 256	33
13	CEN/TC 275	33

1 CEN/TC 54

Decision CEN/TC 54 decision 20 taken on 2016-10-11

Subject: CEN/TC 54– Addition of preliminary Work Item

CEN/TC 54 Unfired pressure vessels

- *document*
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below as a preliminary work item

Section	Details
1. Deliverable	<input checked="" type="checkbox"/> EN <input type="checkbox"/> TS <input type="checkbox"/> TR
2. This item corresponds to	<input type="checkbox"/> new work (prEN, prCEN/TS, prCEN/TR) <input checked="" type="checkbox"/> an amendment to EN 13445-3:2014, prA4 <input type="checkbox"/> the revision of EN <i>reference of original EN</i>

Section	Details
	Official Journal? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <i>number and title</i> For citation in Official Journal? <input type="checkbox"/> No <input type="checkbox"/> Yes
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: Only a pwi, members will be added on activation of pwi
14. The decision was taken by	The decision was taken by <input type="checkbox"/> Weighted vote or <u>simple majority</u> Percentage of positive weighted votes (min. 71%): ...% Number of positive votes: Number of negative votes: 0... Number of abstentions: ...0 <input checked="" type="checkbox"/> Simple majority (<i>only for TR</i>) Number of positive votes: ...7 Number of negative votes: ...0 Number of abstentions: ...0

2 CEN/TC 58

DECISION C015/2016 taken by CEN/TC 58 on 2016-10-15

Subject: CEN/TC 58 – Participation of EHI

The CEN/TC 58, Safety and control devices for burners and appliances burning gaseous or liquid fuels,

- considering the CEN/CENELEC Internal Regulations - Part 2, subclause 4.3.2, which lays down the conditions for external liaisons;
- considering that the conditions laid down in CEN-CENELEC Guide 25 “The concept of partnership with European organizations and other stakeholders” are fulfilled;
- agrees to the participation of the European Heating Industry in CEN/TC 58;
- requests the CEN-CENELEC Management Centre to inform EHI accordingly of this decision.

The decision was taken by unanimity.

3 CEN/TC 72

Decision CEN/TC 72 912/2016 taken on 2016-10-26

Subject: Adoption of a Preliminary Work Item

CEN/TC 72 - Fire detection and fire alarm systems

- having considered the proposal for a new work item as documented in CEN/TC 72 N 2664
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	The revision of an EN EN 54-25:2008
3. Document developed in drafting body	CEN/TC 72/WG 19 - Components using Radio links
4. Title	Fire detection and fire alarm systems - Part 25: Components using radio links
5. Scope	<p>This European Standard specifies requirements, test methods and performance criteria for components used in fire alarms systems, installed in and around buildings, which use radio frequency links (RF links) to communicate. It also provides requirements for the evaluation of conformity of the components to the requirements of this European Standard.</p> <p>Where components work together and this requires knowledge of the system design, this document also specifies requirements on the system.</p> <p>When the fire detection and fire alarm systems (FDAS) use wired and RF links, the relevant parts of EN 54 apply together with this document. Requirements relevant to wire links are superseded or modified by those included in this European Standard.</p> <p>This document does not restrict:</p> <ul style="list-style-type: none"> ○ the intended use of radio spectrum, e.g. frequency, power

	<p>output of devices;</p> <ul style="list-style-type: none"> ○ the allowed maximum number of the components using RF links within the FDAS or one transmission path and/or RF link; ○ the allowed maximum number of the components affected by loss of one transmission path and/or RF link. <p>These requirements relate to national regulations and can vary from member state to member state.</p>
6. Environmental aspects - OPTIONAL	
7. How do you plan to address these environmental aspects? - OPTIONAL	
8. Track	Enquiry + Formal Vote (ENQ+FV)
9. Related mandate(s)	Yes M/109
10. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 Yes
11. The decision was taken by	Simple majority Number of positive votes: 12 Number of negative votes: 0 Number of abstentions: 0

Decision CEN/TC 72 913/2016 taken on 2016-10-26

Subject: Adoption of a Preliminary Work Item

CEN/TC 72 - Fire detection and fire alarm systems

- having considered the proposal for a new work item as documented in CEN/TC 72 N 2693
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
---------	---------

1. Deliverable	EN
2. This item corresponds to	The revision of an EN EN 54-1:2011
3. Document developed in drafting body	CEN/TC 72 - Fire detection and fire alarm systems
4. Title	Fire detection and fire alarm systems - Part 1: Introduction
5. Scope	<p>This part of EN 54 defines the terms and definitions that are used throughout the EN 54 series of standards. It gives the principles on which each part of the standard has been based and describes the functions carried out by the components of a fire detection and fire alarm system.</p> <p>This European Standard applies to fire detection and fire alarm systems in and around buildings.</p> <p>This European Standard does not apply to smoke alarm devices which are covered by EN 14604.</p>
6. Environmental aspects - OPTIONAL	
7. How do you plan to address these environmental aspects? - OPTIONAL	
8. Track	Enquiry + Formal Vote (ENQ+FV)
9. Related mandate(s)	No
10. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 No
11. The decision was taken by	<p>Simple majority</p> <p>Number of positive votes: 6</p> <p>Number of negative votes: 2</p> <p>Number of abstentions: 3</p>

4 CEN/TC 88

Decision CEN/TC 88 745c/2016 taken on 2017-01-06

Subject: Adoption of a New Work Item

CEN/TC 88 - Thermal insulating materials and products

- having considered the proposal for a new work item as documented in CEN/TC 88 N 3543
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	The revision of an EN EN 13494:2002
3. Document developed in drafting body	CEN/TC 88/WG 18 - External thermal insulation composite systems
4. Title	Thermal insulation products for building applications - Determination of the tensile bond strength of the adhesive and of the base coat to the thermal insulation material
5. Scope	This European Standard specifies equipment and procedures for determining the tensile bond strength of the adhesive and of the base coat to the thermal insulation material. It is applicable to External Thermal Insulation Composite Systems (ETICS).
6. Environmental aspects	Use of energy
7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG Use of environmental checklist
8. Vienna Agreement	No or expected CEN lead

9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	No
12. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 No
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: SFS ASI ASRO BSI DIN NBN UNI NEN
14. The decision was taken by	Weighted vote and simple majority Percentage of positive weighted votes (min. 71% before 2017-01-01, min. 65% from 2017-01-01):100 Number of positive votes: 14 Number of negative votes: 0 Number of abstentions: 6

Decision CEN/TC 88 746c/2016 taken on 2017-01-06

Subject: Adoption of a New Work Item

CEN/TC 88 - Thermal insulating materials and products

- having considered the proposal for a new work item as documented in CEN/TC 88 N 3544
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN

2. This item corresponds to	The revision of an EN EN 13495:2002
3. Document developed in drafting body	CEN/TC 88/WG 18 - External thermal insulation composite systems
4. Title	Thermal insulation products for building applications - Determination of the pull-off resistance of external thermal insulation composite systems (ETICS)(foam block test)
5. Scope	This European Standard specifies equipment and a procedure for determining of the pull-off resistance of external thermal insulation composite systems (ETICS). The method described ist known as "foam block test". NOTE: This test is not intended to measure the pull-off resistance of the ETICS to the substrate.
6. Environmental aspects	Use of energy
7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG Use of environmental checklist
8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	No
12. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 No
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: SFS ASI ASRO SN BSI DIN UNI NEN
14. The decision was taken by	Weighted vote and simple majority Percentage of positive weighted votes (min. 71% before 2017-01-01, min. 65% from 2017-01-01):100 Number of positive votes: 13 Number of negative votes: 0 Number of abstentions: 7

Decision CEN/TC 88 747c/2016 taken on 2017-01-06

Subject: Adoption of a New Work Item

CEN/TC 88 - Thermal insulating materials and products

- having considered the proposal for a new work item as documented in CEN/TC 88 N 3545
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	The revision of an EN EN 13497:2002
3. Document developed in drafting body	CEN/TC 88/WG 18 - External thermal insulation composite systems
4. Title	Thermal insulation products for building applications - Determination of the resistance to impact of external thermal insulation composite systems (ETICS)
5. Scope	This European Standard specifies equipment and a procedure for determining the resistance to impact of external thermal insulation composite systems. It is applicable to external thermal insulation composite systems (ETICS).
6. Environmental aspects	Use of energy
7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG Use of environmental checklist
8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization

10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	No
12. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 No
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: SFS ASI ASRO SN BSI DIN NBN UNI NEN
14. The decision was taken by	Weighted vote and simple majority Percentage of positive weighted votes (min. 71% before 2017-01-01, min. 65% from 2017-01-01):100 Number of positive votes: 14 Number of negative votes: 0 Number of abstentions: 6

5 CEN/TC 153

Decision CEN/TC 153 349/2017 taken on 2017-01-11

Subject: Adoption of a Preliminary Work Item

CEN/TC 153 - Machinery intended for use with foodstuffs and feed

- having considered the proposal for a new work item as documented in CEN/TC 153 N
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
---------	---------

1. Deliverable	EN
2. This item corresponds to	The revision of an EN EN 13288:2005+A1:2009
3. Document developed in drafting body	CEN/TC 153/WG 1 - Bakery equipment
4. Title	Food processing machinery - Bowl lifting and tilting machines - Safety and hygiene requirements
5. Scope	<p>This European Standard specifies safety and hygiene requirements for the design, installation, operation and maintenance of lifting and tilting machines used, in bakeries, for lifting and/or tilting a container or a machine with non removable bowl containing dough or pastry and for tipping the contents at the top end of the stroke.</p> <p>The lifting and tilting machines can be stationary or movable and are designed for semi-manufactured products (mixtures of flour, water and other ingredients) or raw material (flour, mixtures etc.). The direction of lifting can be vertical, inclined or combined and follows a track fixed by mechanical guides, or articulated arms.</p> <p>This European Standard deals with the significant hazards, hazardous situations and events relevant to lifting and tilting machines, when used as intended and under the conditions foreseen by the manufacturer (see clause 4).</p> <p>This European Standard does not deal with the hazards due to the mixing or other function of the bowl (for dough mixers see EN 453).</p> <p>The following machines are excluded:</p> <ul style="list-style-type: none"> - experimental and testing machines under development by the manufacturer; - domestic appliances; - automatic mobile equipment, for example bucket trucks; - lift trucks; - automatic devices working in automatic production lines (where the initiation of the movement is not due to an human action). <p>Also excluded, are the hazards due to the powered movement of mobile machines.</p> <p>When drafting this European Standard, it has been assumed that the machines are not intended to be cleaned with a water jet.</p> <p>Noise is not considered to be a significant hazard by lifting and tilting machines for bakery. This does not mean that the manufacturer of the machine is absolved from reducing noise and making a noise declaration. A noise test code is therefore given in Annex A.</p>
6. Environmental aspects - OPTIONAL	
7. How do you plan to address these environmental aspects? - OPTIONAL	

8. Track	Enquiry + Formal Vote (ENQ+FV)
9. Related mandate(s)	Yes M/396
10. Related directive(s)	Yes Directive reference For citation in Official journal 2006/42/EC Yes
11. The decision was taken by	Simple majority Number of positive votes: 9 Number of negative votes: 0 Number of abstentions: 9

Decision CEN/TC 153 350/2017 taken on 2017-01-11

Subject: Adoption of a Preliminary Work Item

CEN/TC 153 - Machinery intended for use with foodstuffs and feed

- having considered the proposal for a new work item as documented in CEN/TC 153 N
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	The revision of an EN EN 13954:2005+A1:2010
3. Document developed in drafting body	CEN/TC 153/WG 1 - Bakery equipment
4. Title	Food processing machinery - Bread slicers - Safety and hygiene requirements
5. Scope	1.1 This European Standard specifies safety and hygiene requirements for the design and manufacture of bread slicing machines of type 1 and 2 as defined in Clause 3. The intended use of these machines is to cut baked bread into slices. This European Standard deals with all significant hazards, hazardous situations and events relevant to bread slicers machines, when they

	<p>are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer (see Clause 4). This European Standard covers requirements for the safe operation of the machine including: loading, cutting, unloading, cleaning, crumb removal and maintenance.</p> <p>These machines can be manually or automatically operated.</p> <p>1.2 The following machines are excluded from the scope of this document:</p> <ul style="list-style-type: none"> - experimental and testing machines under development by the manufacturer; - frame cutter machines with multiple blades moving horizontally; - domestic appliances and machines intended for use by the general public; - machines with horizontal circular cutting systems; - rectangular cutting machines for cutting or sawing of panel size products into small pieces. <p>The significant hazards covered by this document are described in Clause 4.</p> <p>1.3 In drafting this European Standard, it has been assumed that the bread slicers falling within the scope are operated only by trained personnel and that the machines are not intended to be cleaned with water jet.</p> <p>1.4 This European Standard is not applicable to bread slicing machines which are manufactured before the date of publication of this European Standard.</p>
<p>6. Environmental aspects - OPTIONAL</p>	
<p>7. How do you plan to address these environmental aspects? - OPTIONAL</p>	
<p>8. Track</p>	<p>Enquiry + Formal Vote (ENQ+FV)</p>
<p>9. Related mandate(s)</p>	<p>Yes M/396</p>
<p>10. Related directive(s)</p>	<p>Yes Directive reference For citation in Official journal 2006/42/EC Yes</p>
<p>11. The decision was taken by</p>	<p>Simple majority Number of positive votes: 9 Number of negative votes: 0 Number of abstentions: 9</p>

Decision CEN/TC 153 351/2017 taken on 2017-01-11

Subject: Adoption of a New Work Item

CEN/TC 153 - Machinery intended for use with foodstuffs and feed

- having considered the proposal for a new work item as documented in CEN/TC 153 N
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	An amendment to an EN EN 12042:2014
3. Document developed in drafting body	CEN/TC 153/WG 1 - Bakery equipment
4. Title	Food processing machinery - Automatic dough dividers - Safety and hygiene requirements
5. Scope	<p>1.1 This European Standard applies to the design and manufacture of standalone automatic dough dividers, having a feed hopper, an outlet and a dividing system (see 3.2). These automatic dough dividers are used separately or in a line in the food industry and shops (pastry-making, bakeries, confectionery, etc.) for dividing dough or pastry into adjustable portions to produce the required weight of dough piece during a dividing process. These machines can be fed by hand or mechanically.</p> <p>This European Standard deals with all significant hazards, hazardous situations and events relevant to the transport, installation, adjustment, operation, cleaning, maintenance, dismantling, disassembling and scrapping of automatic dough dividers, when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer (see Clause 4). These machines are not intended to be cleaned with pressurised water.</p> <p>1.2 This European Standard is not applicable to the following:</p> <ul style="list-style-type: none"> - experimental and testing machines, under development by the manufacturer; - weighing devices;

	<ul style="list-style-type: none"> - pressure dough dividers, without a feed hopper, using knives for the dividing process; - lines with separate cutting or forming elements outside the housing; - lifting and tilting machines) or other separate feeding machines; - additional hazards generated when the machine is used in a line or mechanically feed. <p>1.3 A noise test code is included in Annex A to assist manufacturers to measure noise levels for the purpose of the noise emission declaration.</p> <p>1.4 This European Standard is not applicable to machines which are manufactured before its publication as EN.</p>
6. Environmental aspects	Noise/Vibration
7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG
8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	Yes M/396
12. Related directive(s)	Yes Directive reference For citation in Official journal 2006/42/EC Yes
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: AFNOR SIS BSI DIN UNI
14. The decision was taken by	Simple majority (min. 55% as from 2017-01-01) Number of positive votes: 10 Number of negative votes: 0 Number of abstentions: 8

6 CEN/TC 165

Decision CEN/TC 165 626/2017 taken on 2017-01-09

Subject: Adoption of a New Work Item

CEN/TC 165 Waste water engineering

- having considered the proposal for a new work item as documented in CEN/TC 165 N 2788
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	An amendment to an EN EN 12566-1:2016
3. Document developed in drafting body	CEN/TC 165/WG 41 - Small type sewage treatment plants (< 50 inhabitants)
4. Title	Small wastewater treatment systems for up to 50 PT - Part 1: Prefabricated septic tanks
5. Scope	This European Standard specifies the requirements for prefabricated septic tanks and ancillary equipment used for the partial treatment of domestic wastewater for a population up to 50 PT. Pipe sizes, loads, watertightness, marking and quality control are specified. The following cases are excluded: - septic tanks receiving grey water only; - in situ constructed septic tanks.
6. Environmental aspects	Discharges to soil Discharges to water Risk to the environment from accidents/misuse
7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG
8. Vienna Agreement	No or expected CEN lead

9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	Yes M/118
12. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 Yes
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: AFNOR ASI SIS DIN UNI
14. The decision was taken by	Simple majority (min. 55% as from 2017-01-01) Number of positive votes: 12 Number of negative votes: 0 Number of abstentions: 7

Decision CEN/TC 165 627/2017 taken on 2017-01-09

Subject: Adoption of a New Work Item

CEN/TC 165 Waste water engineering

- having considered the proposal for a new work item as documented in CEN/TC 165 N 2788
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	An amendment to an EN EN 12566-3:2016
3. Document developed in drafting	CEN/TC 165/WG 41 - Small type sewage treatment plants (< 50 inhabitants)

body	
4. Title	Small wastewater treatment systems for up to 50 PT - Part 3: Packaged and/or site assembled domestic wastewater treatment plants
5. Scope	This European Standard specifies requirements, test methods, the marking and evaluation of conformity for packaged and/or site assembled domestic wastewater treatment plants (including guest houses and businesses) used for populations up to 50 inhabitants. Small wastewater treatment plants according to this European Standard are used for the treatment of raw domestic wastewater. It covers plants with tanks made of concrete, steel, PVC-U, Polyethylene (PE), Polypropylene (PP) and Glass Reinforced Polyester (GRP-UP). The test methods specified in this European Standard establish the performance of the plant, needed to verify its suitability for the end use. This European Standard applies for small wastewater treatment plants for use buried in the ground where no vehicle loads are applied to the product. This European Standard applies to plants where all prefabricated components are factory or site-assembled by one manufacturer and which are tested as a whole.
6. Environmental aspects	Discharges to soil Discharges to water Risk to the environment from accidents/misuse
7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG
8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	Yes M/118
12. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 Yes
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: AFNOR SFS ASI SIS DIN UNI
14. The decision was taken by	Simple majority (min. 55% as from 2017-01-01) Number of positive votes: 12

	Number of negative votes: 0 Number of abstentions: 7
--	---

Decision CEN/TC 165 628/2017 taken on 2017-01-09

Subject: Adoption of a New Work Item

CEN/TC 165 Waste water engineering

- having considered the proposal for a new work item as documented in CEN/TC 165 N 2788
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	An amendment to an EN EN 12566-4:2016
3. Document developed in drafting body	CEN/TC 165/WG 41 - Small type sewage treatment plants (< 50 inhabitants)
4. Title	Small wastewater treatment systems for up to 50 PT - Part 4: Septic tanks assembled in situ from prefabricated kits
5. Scope	This European Standard specifies the requirements for septic tanks assembled in situ from prefabricated kits and ancillary equipment where applicable, used outside buildings for the partial treatment of domestic wastewater for a population up to 50 PT. Pipe sizes, loads, watertightness, marking and evaluation of conformity are specified. This standard does not apply to septic tanks receiving grey water only.
6. Environmental aspects	Discharges to soil Discharges to water Risk to the environment from accidents/misuse
7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG

8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	Yes M/118
12. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 Yes
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: AFNOR ASI SIS DIN UNI
14. The decision was taken by	Simple majority (min. 55% as from 2017-01-01) Number of positive votes: 12 Number of negative votes: 0 Number of abstentions: 7

Decision CEN/TC 165 629/2017 taken on 2017-01-09

Subject: Adoption of a New Work Item

CEN/TC 165 Waste water engineering

- having considered the proposal for a new work item as documented in CEN/TC 165 N 2788
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	An amendment to an EN EN 12566-6:2016

3. Document developed in drafting body	CEN/TC 165/WG 41 - Small type sewage treatment plants (< 50 inhabitants)
4. Title	Small wastewater treatment systems for up to 50 PT - Part 6: Prefabricated treatment units for septic tank effluent
5. Scope	This European Standard specifies requirements, test methods, evaluation of conformity and marking for prefabricated secondary treatment units used for the treatment of effluent from septic tanks according to EN 12566-1 or EN 12566-4 in small wastewater treatment systems for up to 50 PT.
6. Environmental aspects	Discharges to soil Discharges to water Risk to the environment from accidents/misuse
7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG
8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	Yes M/118
12. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 Yes
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: AFNOR ASI SIS DIN UNI
14. The decision was taken by	Simple majority (min. 55% as from 2017-01-01) Number of positive votes: 12 Number of negative votes: 0 Number of abstentions: 7

Decision CEN/TC 165 630/2017 taken on 2017-01-09

Subject: Adoption of a New Work Item

CEN/TC 165 Waste water engineering

- having considered the proposal for a new work item as documented in CEN/TC 165 N 2788
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	An amendment to an EN EN 12566-7:2016
3. Document developed in drafting body	CEN/TC 165/WG 41 - Small type sewage treatment plants (< 50 inhabitants)
4. Title	Small wastewater treatment systems for up to 50 PT - Part 7: Prefabricated tertiary treatment units
5. Scope	This European Standard specifies requirements, test methods, the marking and evaluation of conformity for a packaged and/or site assembled tertiary treatment unit for installation either separately or in a pre-existing unit. It applies for tertiary treatment units that are placed on the market as complete units used for the tertiary treatment of domestic wastewater by biological, physical, chemical, electrical processes and coming from: a) units in accordance with EN 12566-3 or EN 12566-6; b) installations designed and constructed in accordance with CEN/TR 12566-5. Equivalent secondary treated effluent may come from existing systems. Package and/or site assembled tertiary treatment units according to this standard consist of one or more watertight tanks without any direct infiltration into the ground, made of concrete, corrosion resistant or coated steel, un-plasticised poly-vinyl chloride (PVC-U), polyethylene (PE), glass reinforced thermosetting plastics (GRP) based on polyester resin (UP) (GRP-UP), polypropylene (PP) and polydicyclopentadiene (PDCPD).
6. Environmental aspects	Discharges to soil Discharges to water Risk to the environment from accidents/misuse

7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG
8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	Yes M/118
12. Related directive(s)	Yes Directive reference For citation in Official journal 305/2011 Yes
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: AFNOR ASI SIS DIN UNI
14. The decision was taken by	Simple majority (min. 55% as from 2017-01-01) Number of positive votes: 12 Number of negative votes: 0 Number of abstentions: 7

Decision CEN/TC 165 631/2017 taken on 2017-01-10

Subject: Adoption of a Preliminary Work Item

CEN/TC 165 Waste water engineering

- having considered the proposal for a new work item as documented in CEN/TC 165 N 2795
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
---------	---------

1. Deliverable	EN
2. This item corresponds to	A new project
3. Document developed in drafting body	CEN/TC 165/WG 13 - Renovation and repair of drains and sewers
4. Title	Mortar for the construction and rehabilitation of drains and sewers outside buildings
5. Scope	<p>This Standard applies exclusively to cement-based mortars for the construction and rehabilitation of</p> <ul style="list-style-type: none"> - drains and sewers; - public drainage system structures; - sewage treatment plants. <p>It establishes specifications and test procedures for mortars exposed to the aggressive conditions arising in drainage systems outside of buildings.</p> <p>This Standard does not apply to untreated industrial effluent and separator systems.</p> <p>This Standard does not apply to concrete used for cast-in-place or prefabricated concrete structures, or for ready-made building or civil engineering components.</p>
6. Environmental aspects - OPTIONAL	<p>Discharges to soil</p> <p>Discharges to water</p> <p>Risk to the environment from accidents/misuse</p>
7. How do you plan to address these environmental aspects? - OPTIONAL	Bring in environmental expertise to the WG
8. Track	Enquiry + Formal Vote (ENQ+FV)
9. Related mandate(s)	No
10. Related directive(s)	No
11. The decision was taken by	<p>Simple majority</p> <p>Number of positive votes: 8</p> <p>Number of negative votes: 1</p> <p>Number of abstentions: 8</p>

7 CEN/TC 197

Decision CEN/TC 197 12/2016 taken on 2016-10-17

Subject: Adoption of a New Work Item

CEN/TC 197 Pumps

- having considered the proposal for a new work item as documented in CEN/TC 197 N 618
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	A new project
3. Document developed in drafting body	CEN/TC 197/WG 1 - Water pumps efficiency
4. Title	Pumps - Methods of qualification and verification of the Energy Efficiency Index for rotodynamic pumps units - Part 3 - Testing and calculation of energy efficiency index (EEI) of booster sets
5. Scope	The proposed Part 3 of the Standard on energy efficiency index (EEI) of pump units focusses on booster sets. Part 3 will give special definitions (e.g. a reference flow-time profile, a reference pressure control and - in the case of multipump booster sets - a reference switching control and a reference electric power input) that have to be applied when determining their energy efficiency index (EEI). It will describe two methods and procedures how to determine the energy efficiency index (EEI) of booster sets in the frame of qualification or verification.
6. Environmental aspects	Use of energy
7. How do you plan to address these	Bring in environmental expertise to the WG

environmental aspects?	
8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	No
12. Related directive(s)	No
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: AFNOR SIS BSI DIN DS NBN UNI
14. The decision was taken by	Weighted vote and simple majority Percentage of positive weighted votes (min. 71% before 2017-01-01, min. 65% from 2017-01-01):100 Number of positive votes: 13 Number of negative votes: 0 Number of abstentions: 5

8 CEN/TC 230

Decision CEN/TC 230 C574/2016 taken on 2016-12-15

Subject: Adoption of a New Work Item

CEN/TC 230 Water analysis

- having considered the proposal for a new work item as documented in CEN/TC 230 N 1025
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available

- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	A new project
3. Document developed in drafting body	CEN/TC 230/WG 27 - Marine ecological methods
4. Title	Water quality - Guidance on analysis of mesozooplankton from marine and brackish water
5. Scope	This European standard specifies a procedure for analysing mesozooplankton in marine and brackish waters. The procedures comprise how to identify and enumerate zooplankton collected in nets which is utilized to estimate quantitative information on diversity, abundance and biomass with regard to spatial distribution and long-term temporal trends for a given body of water.
6. Environmental aspects	Other: This standard specifies a method to investigate environmental parameters.
7. How do you plan to address these environmental aspects?	Bring in environmental expertise to the WG
8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	No
12. Related directive(s)	No
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: AFNOR SFS SN BSI DIN UNI
14. The decision was taken by	Weighted vote and simple majority Percentage of positive weighted votes (min. 71% before 2017-01-01,

	min. 65% from 2017-01-01):100 Number of positive votes: 14 Number of negative votes: 0 Number of abstentions: 8
--	--

Decision CEN/TC 230 C575/2016 taken on 2016-12-15

Subject: Adoption of a New Work Item

CEN/TC 230 Water analysis

- having considered the proposal for a new work item as documented in CEN/TC 230 N 1026
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS
- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	A new project
3. Document developed in drafting body	CEN/TC 230/WG 27 - Marine ecological methods
4. Title	Water quality - Guidance on mapping of seagrasses and macroalgae in the eulittoral zone
5. Scope	This European standard provides guidance for survey design, equipment specification, survey methods, sampling and data handling, of macroalgae and marine angiosperms such as <i>Zostera</i> in the intertidal soft bottom environment. It does not include polyeueryhaline terrestrial angiosperms that are found in saltmarshes. <i>Ruppia</i> is a genus of angiosperms that can be found in brackish water. This standard can also be applied to the study of <i>Ruppia</i> in these environments.
6. Environmental aspects	Other: This standard specifies a method to investigate environmental parameters.
7. How do you plan to address these environmental	Bring in environmental expertise to the WG

aspects?	
8. Vienna Agreement	No or expected CEN lead
9. The project is linked to	No document from another organization
10. Track	Enquiry + Formal Vote (ENQ+FV)
11. Related mandate(s)	No
12. Related directive(s)	No
13. Commitment	The following CEN members (at least five) are committed to participate in the development of the project: AFNOR SFS SN BSI DIN UNI
14. The decision was taken by	Weighted vote and simple majority Percentage of positive weighted votes (min. 71% before 2017-01-01, min. 65% from 2017-01-01):100 Number of positive votes: 14 Number of negative votes: 0 Number of abstentions: 7

9 CEN/TC 237

DECISION 219 taken by CEN/TC 237 on 2016-12-09

Subject: CEN/TC 237 - Reference to other normative documents

The CEN/TC 237, *Gas meters*,

- considering the CEN/CENELEC Internal Regulations - Part 2 and Part 3, allowing in exceptional cases, to include normative references to documents other than those developed by CEN, CENELEC, ETSI, ISO and IEC;
- considering the CEN policy related to the subject;
- confirming that all following criteria are affirmatively fulfilled:
 - No suitable CEN, CENELEC, ETSI, ISO or IEC documents are available and that there is a necessity to refer to a document other than those developed by CEN, CENELEC, ETSI, ISO and IEC;
 - It is impractical to include the relevant text in full;
 - The need for making reference to a document other than those developed by CEN, CENELEC, ETSI, ISO and IEC has been fully justified;

- The referenced document:
 - has wide acceptance;
 - is not in contradiction with the European legislation nor creates regulatory problems when the EN is implemented by CEN/CENELEC members;
 - has been prepared in accordance with the principles set in the ISO/IEC Guide 59 - Code of Practice for Standardization - (with the definitions of EN 45020) and in the ISO/IEC Directives;
 - has clearance in respect of possible IPR (Intellectual Property Rights) issues as prescribed in CEN/CENELEC Guide 8;
 - is not a draft, but is an adopted document with an identified and dated issue;
 - is publicly available in official CEN/CENELEC languages, at least in English.

approves the normative reference to the following:

ASTM D1003, Standard Test Method for Haze and Luminous Transmittance of Transparent Plastics in the document corresponding to WI number 00237024 (prEN 1359, Gas meters – Diaphragm displacement gas meters)

The decision was taken by *unanimity*.

10CEN/TC 247

DECISION CEN/TC 247 405/2017 taken on 2017-01-10

Subject: CEN/TC 247 - Deletion of work item neither mandated nor covered by an Order Voucher

CEN/TC 247 - Building Automation, Controls and Building Management

- noting the development of
 - WI 00247101 FprEN 15232-1 - *Energy Performance of Buildings – Energy performance of buildings - Part 1: Impact of Building Automation, Controls and Building Management - Modules M10-4,5,6,7,8,9,10*
 - WI 00247102 CEN/TR 15232-2:2016 - *Energy performance of buildings - Part 2: Accompanying TR prEN 15232-1:2015 - Modules M10-4,5,6,7,8,9,10*
 - WI 00247093 FprEN 16947-1 - *Energy Performance of Buildings – Building Management System - Part 1: Module M10-12*
 - WI 00247094 CEN/TR 16947-2 - *Building Management System - Part 2: Accompanying prEN 16947-1:2015 - Modules M10-12*
- considering the overlap of the scope of the four WI with the scope of WI 00247105 prEN ISO 16484-7 – *Building automation and control systems – Part 7: The contribution of BACS to energy performance of buildings*
- considering that the work item is neither mandated nor covered by an Order voucher;
- noting the consequences of release of standstill;

decides to delete the following work item:

- WI 00247105 – prEN ISO 16484-7 - Building automation and control systems - Part 7: *The contribution of BACS to energy performance of buildings*

and decides to release the standstill on this work item.

The decision was taken with 10 positive votes, 1 negative vote and 10 abstentions.

DECISION CEN/TC 247 406/2017 taken on 2017-01-10

Subject: CEN/TC 247 - Deletion of work item neither mandated nor covered by an Order Voucher

CEN/TC 247 - Building Automation, Controls and Building Management

- noting the lack of progress and support in the development of the WI
- considering that the work item is neither mandated nor covered by an Order Voucher;
- noting the consequences of release of standstill;

decides to delete the following work item:

- WI 00247104 – prEN ISO 16484-4 - Building automation and control systems - Part 4: Control applications

and decides to release the standstill on this work item.

The decision was taken by simple majority with 11 positive votes, 1 negative vote and 9 abstentions.

11 CEN/TC 250

DECISION 2/2016 taken by CEN/TC 250/SC 5 on 2016-12-05

Subject: CEN/TC 250/SC 5 – Re-appointment of Chairperson

The CEN/TC 250/SC 5, Eurocode 5: Design of timber structures,

- considering the CEN/CENELEC Internal Regulations - Part 2, subclause 3.3.2, which lays down the rules for nomination, appointment and responsibilities of Subcommittee Chairpersons;
- noting the re-nomination by the Subcommittee Secretariat;
- noting the commitment of the applicant to the responsibilities and duties of a Subcommittee Chairperson as given in the CEN BOSS;

decides to re-appoint Prof. Stefan Winter, as Chairman of CEN/TC 250/SC 5 for a period of 3 years starting on 2017-03-19, noting that Stefan Winter is Chairperson of the Subcommittee since 2014-03-20.

The decision was taken by *simple majority with 18 positive votes, 0 negative vote(s) and 0 abstention(s)*.

12 CEN/TC 256

Decision CEN/TC 256 C28/2016 taken on 2016-12-15

Subject: 3 year time-frame for the development of WI 00256813 - 9 month Tolerance Request.

CEN/TC 256 - Railway applications

1. considering Resolution BT 34/2002 by which BT decided that any work item to result in an EN, registered after 2002-10-31, shall normally result in an EN after 3 years and set maximum times between well identified stages, as well as Resolution BT 42/2003 deciding on variant timeframes;
2. considering Resolution BT 42/2008 allowing the CEN/TCs, for well identified and justified reasons, to claim one tolerance of 9 months, applicable to the target dates for submission of a draft to CCMC (or ISO/CS in case of Vienna Agreement & CEN Lead) for the relevant procedure(s) (i.e. CEN Enquiry and/or Formal Vote, UAP, TCA);
3. considering that for work item *00256813 - EN 14752:2015/prA1 - Railway applications - Body side entrance systems for rolling stock*, it proves impossible to Dispatch ENQ draft to CMC by 2016-11-12;
4. claims a tolerance of 9 months (i.e. a postponement of 9 months of the deadlines for all the stages not yet reached) for the following reasons:
More remarks still to be considered for finalisation of text
5. confirms that CEN/TC 256 will Dispatch ENQ draft to CMC (or ISO/CS in case of Vienna Agreement - CEN Lead) by 2017-08-12 at the latest.

The decision was taken by simple majority with 15 positive vote(s), 0 negative vote(s) and 5 abstention(s).

13 CEN/TC 275

Decision CEN/TC 275 C15/2016 taken on 2016-12-30

Subject: Adoption of a Preliminary Work Item

CEN/TC 275 Food analysis - Horizontal methods

- having considered the proposal for a new work item as documented in CEN/TC 275 N 1667
- having considered the Guidance - Adoption of a new work item in a CEN Technical Committee as documented in the BOSS

- confirming that the new work item falls within its scope
- confirming that the new work item corresponds to real market needs
- confirming that the resources to complete the work below are available
- decides to register the work item described below in its active programme of work

Section	Details
1. Deliverable	EN
2. This item corresponds to	A new project
3. Document developed in drafting body	CEN/TC 275/WG 11 - Genetically modified foodstuffs
4. Title	Requirements for methods of species analysis
5. Scope	This Standard specifies minimum requirements of performance characteristics for the detection of nucleic acid sequences (DNA or RNA) by molecular methods such as PCR and different post-PCR detection methods, real-time PCR, digital PCR, isothermal amplification, single and/or multiple probebased detection techniques as well as the combination of such methods including sequencing techniques (DNA barcoding). The document applies to the detection, identification and quantification of animal species (chordata) or higher and lower taxonomic groups in foodstuffs.
6. Environmental aspects - OPTIONAL	
7. How do you plan to address these environmental aspects? - OPTIONAL	Other: CEN-Guide 33
8. Track	Enquiry + Formal Vote (ENQ+FV)
9. Related mandate(s)	No
10. Related directive(s)	Yes Directive reference For citation in Official journal 882/2004 No
11. The decision was taken by	Simple majority Number of positive votes: 6 Number of negative votes: 0 Number of abstentions: 14